

CLICK ■ LEVEL ■ CENTER ■ TILT

IT'S TIME FOR A CHANGE



CLICK



LEVEL



CENTER



TILT

THE ALL-NEW

**FUSION**<sup>TM</sup>

FIXED AND TILT MOUNTING SYSTEM

**FUSION**<sup>TM</sup> Series

 **CHIEF**<sup>®</sup>

# The Fusion Story

## Installer-Inspired Mounts

Inspired from extensive field research conducted by the Chief product development team, Fusion mounts are designed to solve the toughest installation challenges!




**FUSION™ Series**


 **CHIEF®**

# Discover the 4 C's of Fusion


- 1 Centerless Lateral Shift
- 2 ControlZone Adjustment
- 3 Centris Tilt
- 4 ClickConnect



2



3



4

# ControlZone™ Leveling & Height Adjustment

## Leveling

- Over 3° (1/2") of leveling adjustment
- Perfect leveling without reinstalling

## Height Adjustment

- Up to 1" of height adjustment

Available only on models ending with 'M'  
(MSM, MTM, LSM, LTM, XSM and XTM)



**FUSION™ Series**


**CHIEF®**

# Centerless™ Lateral Shift



- 16" of post installation lateral shift
- Bars slide to ensure mount remains hidden
- Allows limitless placement of outlets

Available in all models



CLICK



LEVEL



CENTER



TILT

## Centris™ Low-Profile Tilt

- Uses flat panel's center of gravity to provide resistance-free fingertip tilt
- Tilt control, 0-12°
- No tools required
- No added tension required
- Low Profile – under 2" deep

Available in all tilt models



**FUSION™ Series**

 **CHIEF®**

# ClickConnect™ Tool-less Latching

- Bottom Pull-out
  - Provides hands free cable connections
- Tool-less TV connection
- No secondary latches or tools required
- Low Profile – under 2" deep

Included on all models



# Size Ranges



<p><b>Medium</b> 26-47"</p>	<p><b>Large</b> 37-63"</p>	<p><b>X-Large</b> 55-75"</p>
<p><b>Fixed</b></p> <ul style="list-style-type: none"> <li>• MSMU, MSAU</li> </ul> <p><b>Tilt</b></p> <ul style="list-style-type: none"> <li>• MTMU, MTAU</li> </ul>	<p><b>Fixed</b></p> <ul style="list-style-type: none"> <li>• LSMU, LSAU</li> </ul> <p><b>Tilt</b></p> <ul style="list-style-type: none"> <li>• LTMU, LTAU</li> </ul>	<p><b>Fixed</b></p> <ul style="list-style-type: none"> <li>• XSMU</li> </ul> <p><b>Tilt</b></p> <ul style="list-style-type: none"> <li>• XTMU</li> </ul>
<p><b>Mounting Information:</b></p> <ul style="list-style-type: none"> <li>• Single Stud Mounting (75 lbs weight capacity)</li> <li>• 16" Center Stud Mounting (125 lbs weight capacity)</li> </ul>	<p><b>Mounting Information:</b></p> <ul style="list-style-type: none"> <li>• Dual stud mounting (minimum 12" between wall uprights)</li> <li>• 200 lbs weight capacity</li> </ul>	<p><b>Mounting Information:</b></p> <ul style="list-style-type: none"> <li>• Dual stud mounting (minimum 24" between wall uprights)</li> <li>• Must span 3 studs on 16" on-center walls</li> <li>• 250 lbs weight capacity</li> </ul>

# Specifications

## With ControlZone



Model	TV Size Range	Depth from Wall	Centerless Lateral Shift*	Centris Low-Profile Tilt**	Max Mounting Pattern (H,W)	Weight Capacity (single stud, dual stud)
<b>FUSION Series Fixed &amp; Tilt Mounts</b>						
MSM™	26 - 47"	1.96" (50 mm)	14.5" (368 mm)	–	15.75" (400 mm), 25.6" (650 mm)	75 lbs (34 kg), 125 lbs (56.7 kg)
MTM™	26 - 47"	1.99" (51 mm)	14.5" (368 mm)	0-12°	15.75" (400 mm), 26.25" (667 mm)	75 lbs (34 kg), 125 lbs (56.7 kg)
LSM™	37 - 63"	1.96" (50 mm)	17.5" (445 mm)	–	19.9" (506 mm), 34.6" (879 mm)	200 lbs (90.7 kg)
LTM™	37 - 63"	1.99" (51 mm)	17.5" (445 mm)	0-12°	19.9" (506 mm), 35.35" (895 mm)	200 lbs (90.7 kg)
XSM™	55 - 75"	1.96" (50 mm)	23.5" (597 mm)	–	26.9" (685 mm), 48.4" (1229 mm)	250 lbs (113 kg)
XTM™	55 - 75"	1.99" (51 mm)	23.5" (597 mm)	0-12°	26.9" (685 mm), 49.2" (1249 mm)	250 lbs (113 kg)

## Without ControlZone



Model	TV Size Range	Depth from Wall	Centerless Lateral Shift*	Centris Low-Profile Tilt**	Max Mounting Pattern (H,W)	Weight Capacity (single stud, dual stud)
<b>FUSION Series Fixed &amp; Tilt Mounts</b>						
MSA™	26 - 47"	1.96" (50 mm)	14.5" (368 mm)	–	15.75" (400 mm), 25.6" (650 mm)	75 lbs (34 kg), 125 lbs (56.7 kg)
MTA™	26 - 47"	1.99" (51 mm)	14.5" (368 mm)	0-12°	15.75" (400 mm), 26.25" (667 mm)	75 lbs (34 kg), 125 lbs (56.7 kg)
LSA™	37 - 63"	1.96" (50 mm)	17.5" (445 mm)	–	19.9" (506 mm), 34.6" (879 mm)	200 lbs (90.7 kg)
LTA™	37 - 63"	1.99" (51 mm)	17.5" (445 mm)	0-12°	19.9" (506 mm), 35.35" (895 mm)	200 lbs (90.7 kg)

\*Varies with screen mounting pattern and stud placement. \*\*Varies with screen height.

# Customizable Accessory System

## Home Theater



**FCS100**  
Single Component  
Shelf - below



**FCD100** 1  
Additional Component  
Shelf - below



**FCC100** 2  
Center Channel  
Speaker Adapter



**PAC521P** 3  
In-Wall Power Box



**FLR100** 4  
Left/Right Speaker  
Adapter



# Customizable Accessory System



**FCS100**  
Single Component  
Shelf - below



**FCD100** 1  
Additional Component  
Shelf - below



**FCC100** 2  
Center Channel  
Speaker Adapter



**FVS100/FVS150** 3  
8" and 12" Video  
Conferencing  
Shelf - above



**FVS200/FVS250**  
8" and 12" Video  
Conferencing Shelf -  
below



**FVS300/FVS350**  
8" and 12" Video  
Conferencing  
Shelf - In-line



**FCA100** 4  
CAT 5/Surge KPU  
Adapter



**FCK008/FCK016**  
8" and 16"  
Connector Kits 5



**FLR100**  
Left/Right Speaker  
Adapter

## Video Conferencing



# Customizable Accessory System



**FCS100** 1  
Single Component Shelf - below



**FCD100**  
Additional Component Shelf - below



**FCC100**  
Center Channel Speaker Adapter



**FVS100/FVS150** 2  
8" and 12" Video Conferencing Shelf - above



**FVS200/FVS250**  
8" and 12" Video Conferencing Shelf - below



**FVS300/FVS350**  
8" and 12" Video Conferencing Shelf - In-line



**FCA100** 3  
CAT 5/Surge KPU Adapter



**FCK008/FCK016**  
8" and 16" Connector Kits



**FLR100** 4  
Left/Right Speaker Adapter

## Board Room



# Customizable Accessory System

## Video Wall



**FCK008/FCK016** 1  
8" and 16"  
Connector Kits



**FCA100** 2  
CAT 5/Surge  
KPU Adapter



# Accessories

## Speaker Accessories

- Side Channel Accessory
- Center Channel Accessory
- Compatible with any new Fusion fixed or tilt mount
- Connect to the rails
  - No added depth to installation
- Infinite adjustment to snug speaker against screen



FLR100



FCC100

CLICK



LEVEL



CENTER



TILT

# Accessories

## Video Conferencing Shelves

- Two shelf sizes
  - 8" wide tray (X00 Series)
  - 12" wide tray (X50 Series)
- Three versions
  - Below (1XX Series)
  - Above (2XX Series)
  - In between two screens (3XX Series)
- Compatible with any new Fusion fixed or tilt mount
- Connect to the rails
  - No added depth to installation

FVS100 /  
FVS150



FVS200 /  
FVS250



FVS300 / FVS350  
(used with FCK connector kits)



FUSION™ Series

 CHIEF®

# Accessories

## A/V Component Shelves

- Below Shelf (FCS)
- Stackable Shelf Accessory (FCD)
  - Component Shelf sits below any other shelf or the Center Channel Accessory
  - Must order FVS1XX, FCS or FCC separately
- Compatible with any new Fusion fixed or tilt mount
- Connect to the rails
  - No added depth to installation



FCS100



FCD100  
(must order FVS,  
FCS or FCC  
separately)

CLICK



LEVEL



CENTER



TILT

# Accessories

## Video Wall and Surge

- Connector Kits
  - 8" and 16" lengths (sets of two)
  - Connects Fusion products to create Video Walls
  - Used with in-line video conferencing shelves (FVS3XX)
- CAT 5 / Surge Adapter
  - Allows any CAT5 box, surge protector or small CPU to sit behind screen (including PACPC1)
  - Sits on top bar of mount (no added depth)



FCK008 / FCK016



FCA100

FUSION™ Series

 **CHIEF**®

CLICK ■ LEVEL ■ CENTER ■ TILT

# Video Demo



FUSION™ Series

 **CHIEF**®

CLICK ■ LEVEL ■ CENTER ■ TILT

# The Installer's Choice



**FUSION™ Series**

 **CHIEF®**